













Dimensions: Millimetres [Inches]
Estimated weight:0,85 kg (1,88 lbs)

TITLE:
200-012G2-UL / 201-012-UL
2nm 360° White
On a 400-035 Promount base, Cable Down


DRAWING No.: 200-012G2-UL / 201-012-UL				Sheet No.: 2		DRAWN BY: LSA	
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f	REVIEWED BY:	CREATION DATE: 20-05-2021		
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic							




(25µ) Silver anodized according to EN ISO 7599
(50µ) Black anodized according to MIL-A 8625F
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com






TITLE: 200-012G2-UL / 201-012-UL 2nm 360° White On a 400-035 Promount base and 400-404 PE base plate, Cable Down					
DRAWING No.: 200-012G2-UL / 201-012-UL				Sheet No.: 3	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.: DS/ISO 2768-f	TOLERANCES: DS/ISO 2768-f	REVIEWED BY:	CREATION DATE: 20-05-2021
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic, PE					


LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com




Tel: (+45) 32 48 50 30
info@lopolight.com




— 28 mm [1,102 in]



0 mm [0,000 in]



White 360°



Estimated weight:0,85 kg (1,88 lbs)

TITLE: 200-012G2-UL / 201-012-UL 2nm 360° White On a 400-035 Promount base, Cable Down			
DRAWING No.: 200-012G2-UL / 201-012-UL			Sheet No.: 4
DRAWN BY: LSA			
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f
REVIEWED BY:	CREATION DATE: 20-05-2021		
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic			
(25µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F			

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.







LOPOLIGHT


Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com


Tel:(+45) 32 48 50 30
info@lopolight.com





Tel:(+45) 32 48 50 30
info@lopolight.com






Dimensions: Millimetres [Inches]
Estimated weight:0,85 kg (1,88 lbs)

TITLE: 200-012G2-UL / 201-012-UL 2nm 360° White On a 400-035 Promount base, Cable Down					
DRAWING No.: 200-012G2-UL / 201-012-UL				Sheet No.: 6	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.: 	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: 	CREATION DATE: 20-05-2021
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic					
(25µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F					
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.					

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com



Dimensions: Millimetres [Inches]
Estimated weight:0,91 kg (2,02 lbs)

TITLE: 200-012G2-UL / 201-012-UL 2nm 360° White On a 400-034 Promount base and 400-404 PE base plate, Cable Side					
DRAWING No.: 200-012G2-UL / 201-012-UL				Sheet No.: 7	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f	REVIEWED BY:	CREATION DATE: 20-05-2021
MATERIAL DESCRIPTION: Alu. EN6082, Acrylic					
(25 μ) Silver anodized according to EN ISO 7599 (50 μ) Black anodized according to MIL-A 8625F					

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com